

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data									
Equip/Tooling									
Operator									
Material									
Setup									
Other									
Process									
Supplier									
Training									
Unapproved									

FAULT CATEGORY

Landing Gear	General	Other
<input type="checkbox"/> Bending	<input type="checkbox"/> Bend	<input type="checkbox"/> Grain
<input type="checkbox"/> Centre Not Concentric to O/S	<input type="checkbox"/> BOM/Route	<input type="checkbox"/> Hardware
<input type="checkbox"/> Cracks	<input type="checkbox"/> Broken/Damaged	<input type="checkbox"/> Inspection Incomplete
<input type="checkbox"/> Crushed/Crimped	<input type="checkbox"/> Burrs	<input type="checkbox"/> Instructions Incomplete/Unclear
<input type="checkbox"/> Cuffs	<input type="checkbox"/> Contamination	<input type="checkbox"/> Maintenance
<input type="checkbox"/> Heat Treat	<input type="checkbox"/> Countersink	<input type="checkbox"/> Mislabelled
<input type="checkbox"/> Inspection Strip in Tube	<input type="checkbox"/> Cut Too Short	<input type="checkbox"/> Misread
<input type="checkbox"/> Ripples in Bend	<input type="checkbox"/> Drill Holes	<input type="checkbox"/> Offset
<input type="checkbox"/> Torque Waves in Extrusion	<input type="checkbox"/> Drawing	<input type="checkbox"/> Out of Calibration
<input type="checkbox"/> Turning Sequence	<input type="checkbox"/> Finish	<input type="checkbox"/> Out of Sequence
<input type="checkbox"/> Wave/Twist in Tube	<input type="checkbox"/> Folio	<input type="checkbox"/> Outside Dimensions
		<input type="checkbox"/> Ovalized
		<input type="checkbox"/> Over/Under tolerance
		<input type="checkbox"/> Part Incorrect
		<input type="checkbox"/> Part Lost/Missing
		<input type="checkbox"/> Part Moved
		<input type="checkbox"/> Positioned Wrong
		<input type="checkbox"/> Power Loss/Surge
		<input type="checkbox"/> Pressure/Forced
		<input type="checkbox"/> Temperature/Cure
		<input type="checkbox"/> Weld
		<input type="checkbox"/> Wrong Stock Pulled
		<input type="checkbox"/> Other

Work Order ID 98966

98966

Page 2

March-28-13 10:47:39 AM

Item ID: D3500-1

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Saddle

Start Date: 3/27/13

Start Qty: 20.00

20

Cust Item ID:

Required Date: 3/27/13

Req'd Qty: 20.00

20

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start *NR1*

Stop *NR2*

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

130

Chemical Conversion Coat per QSI005 4.1

0.00

130

HandFinish

Memo

0.00

Hand Finishing

20 76-13-4-15

140

White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum

0.00

140

Powdercoat

Memo

0.00

Powder Coating

START TIME:

FINISH TIME:

OVEN TEMPERATURE:

320°F

8-15

8-45

20 X J M/L 13/4/16

150

QC3- Inspect Part Finish

0.00

150

QC

Memo

0.00

Quality Control

20 φ 13-4-16



W125069

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____				DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>		AGAINST DEPARTMENT/PROCESS <div style="display: flex; justify-content: space-between;"> <div> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>					
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector		
Doc/Data <input type="checkbox"/>											
Equip/Tooling <input type="checkbox"/>											
Operator <input type="checkbox"/>											
Material <input type="checkbox"/>											
Setup <input type="checkbox"/>											
Other <input type="checkbox"/>											
Process <input type="checkbox"/>											
Supplier <input type="checkbox"/>											
Training <input type="checkbox"/>											
Unapproved <input type="checkbox"/>											

FAULT CATEGORY									
Landing Gear			General						
<input type="checkbox"/> Bending	<input type="checkbox"/> Bend	<input type="checkbox"/> Grain	<input type="checkbox"/> Ovalized	<input type="checkbox"/> Pressure/Forced					
<input type="checkbox"/> Centre Not Concentric to O/S	<input type="checkbox"/> BOM/Route	<input type="checkbox"/> Hardware	<input type="checkbox"/> Over/Under tolerance	<input type="checkbox"/> Temperature/Cure					
<input type="checkbox"/> Cracks	<input type="checkbox"/> Broken/Damaged	<input type="checkbox"/> Inspection Incomplete	<input type="checkbox"/> Part Incorrect	<input type="checkbox"/> Weld					
<input type="checkbox"/> Crushed/Crimped	<input type="checkbox"/> Burrs	<input type="checkbox"/> Instructions Incomplete/Unclear	<input type="checkbox"/> Part Lost/Missing	<input type="checkbox"/> Wrong Stock Pulled					
<input type="checkbox"/> Cuffs	<input type="checkbox"/> Contamination	<input type="checkbox"/> Maintenance	<input type="checkbox"/> Part Moved	<input type="checkbox"/> Positioned Wrong					
<input type="checkbox"/> Heat Treat	<input type="checkbox"/> Countersink	<input type="checkbox"/> Misread	<input type="checkbox"/> Power Loss/Surge	<input type="checkbox"/> Other					
<input type="checkbox"/> Inspection Strip in Tube	<input type="checkbox"/> Cut Too Short	<input type="checkbox"/> Offset							
<input type="checkbox"/> Ripples in Bend	<input type="checkbox"/> Drill Holes	<input type="checkbox"/> Out of Calibration							
<input type="checkbox"/> Torque Waves in Extrusion	<input type="checkbox"/> Drawing	<input type="checkbox"/> Out of Sequence							
<input type="checkbox"/> Turning Sequence	<input type="checkbox"/> Finish	<input type="checkbox"/> Outside Dimensions							
<input type="checkbox"/> Wave/Twist in Tube	<input type="checkbox"/> Folio								

Work Order ID 98966

98966

Page 3

March-28-13 10:47:39 AM

Item ID: D3500-1 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Saddle
Start Date: 3/27/13 Start Qty: 20.00 ***20*** Cust Item ID:
Required Date: 3/27/13 Req'd Qty: 20.00 ***20*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	Identify as per dwg & Stock Location: _____	0.00							
160									
Packaging	Memo <i>JH27</i>	0.00							<i>6/3/14 (20)</i>
Packaging									
170	QC21- Final Inspection - Work Order Release	0.00							
170									
QC	Memo	0.00							<i>13/4/17</i>
Quality Control									

13-04-17

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____				DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>		AGAINST DEPARTMENT/PROCESS <div style="display: flex; justify-content: space-between;"> <div> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>					
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector		
Doc/Data <input type="checkbox"/>											
Equip/Tooling <input type="checkbox"/>											
Operator <input type="checkbox"/>											
Material <input type="checkbox"/>											
Setup <input type="checkbox"/>											
Other <input type="checkbox"/>											
Process <input type="checkbox"/>											
Supplier <input type="checkbox"/>											
Training <input type="checkbox"/>											
Unapproved <input type="checkbox"/>											
FAULT CATEGORY											
Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube			General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio			<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions			<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge <input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other		

Picklist Print

March-28-13 10:47:39 AM

Page 1

Work Order ID: 98966

Parent Item: D3500-1

Parent Item Name: Saddle

Start Date: 3/27/13

Required Date: 3/27/13

Start Qty: 20.00

Required Qty: 20.00

Comments: IPP Rev:A New Issue 06-06-15 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6102-013 Saddle Billet		Manufactured	No			100	Each	68.0000	1	20			

Location

Loc Qty

Loc Code

MAT043

8

60713

8

MAT045

10

90316

10

MAT046

50

95105

20

95400

30

20

JFC/

2013/04/08

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data									
Equip/Tooling									
Operator									
Material									
Setup									
Other									
Process									
Supplier									
Training									
Unapproved									

FAULT CATEGORY

Landing Gear	General	Other
<input type="checkbox"/> Bending	<input type="checkbox"/> Bend	<input type="checkbox"/> Grain
<input type="checkbox"/> Centre Not Concentric to O/S	<input type="checkbox"/> BOM/Route	<input type="checkbox"/> Hardware
<input type="checkbox"/> Cracks	<input type="checkbox"/> Broken/Damaged	<input type="checkbox"/> Inspection Incomplete
<input type="checkbox"/> Crushed/Crimped	<input type="checkbox"/> Burrs	<input type="checkbox"/> Instructions Incomplete/Unclear
<input type="checkbox"/> Cuffs	<input type="checkbox"/> Contamination	<input type="checkbox"/> Maintenance
<input type="checkbox"/> Heat Treat	<input type="checkbox"/> Countersink	<input type="checkbox"/> Mislabeled
<input type="checkbox"/> Inspection Strip in Tube	<input type="checkbox"/> Cut Too Short	<input type="checkbox"/> Misread
<input type="checkbox"/> Ripples in Bend	<input type="checkbox"/> Drill Holes	<input type="checkbox"/> Offset
<input type="checkbox"/> Torque Waves in Extrusion	<input type="checkbox"/> Drawing	<input type="checkbox"/> Out of Calibration
<input type="checkbox"/> Turning Sequence	<input type="checkbox"/> Finish	<input type="checkbox"/> Out of Sequence
<input type="checkbox"/> Wave/Twist in Tube	<input type="checkbox"/> Folio	<input type="checkbox"/> Outside Dimensions
		<input type="checkbox"/> Ovalized
		<input type="checkbox"/> Over/Under tolerance
		<input type="checkbox"/> Part Incorrect
		<input type="checkbox"/> Part Lost/Missing
		<input type="checkbox"/> Part Moved
		<input type="checkbox"/> Positioned Wrong
		<input type="checkbox"/> Power Loss/Surge
		<input type="checkbox"/> Pressure/Forced
		<input type="checkbox"/> Temperature/Cure
		<input type="checkbox"/> Weld
		<input type="checkbox"/> Wrong Stock Pulled
		<input type="checkbox"/> Other

DART AEROSPACE LTD		Work Order:	98966
Description: Saddle		Part Number:	D3500-1
Inspection Dwg: D3500		Rev: C	Page 1 of 1

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	By	Date
A	0.483	0.490		.485	.485	.485	.485		
B	1.175	1.185		1.180	1.180	1.180	1.180		
C	3.145	3.155		3.150	3.150	3.150	3.150		
D	1.175	1.185		1.180	1.180	1.180	1.180		
E	0.365	0.385		.377	.377	.377	.377		
F	0.490	0.510		.501	.499	.500	.499		
H									
(Note: Dimension I is 0.015" over flange)									
I	R1.575	R1.595		1.588	1.587	1.589	1.5865		
J	0.240	0.260		.243	.243	.243	.243		
K	0.490	0.510		.501	.500	.500	.500		
L	3.590	3.650		3.620	3.620	3.620	3.620		
M	0.315	0.322		.316	.316	.316	.316		
N	0.256	0.262		.258	.258	.258	.258		
O	6.500	6.520		6.512	6.511	6.512	6.510		
P	5.990	6.010		6.000	6.000	6.000	6.000		
Q	2.820	2.830		2.825	2.825	2.825	2.825		
R	2.495	2.505		2.500	2.500	2.500	2.500		
S	2.245	2.255		2.250	2.250	2.250	2.250		
T	1.120	1.130		1.125	1.125	1.125	1.125		
U	0.540	0.560		.544	.547	.548	.547		
V	0.793	0.803		.798	.798	.798	.798		
W	R.240	R.260		.250	.250	.250	.250		
X	0.040	0.060		.050	.050	.050	.050		
Y	0.100	0.120		.110	.110	.110	.110		
AA	R1.125	R1.145		1.1335	1.133	1.134	1.1325		
AB	R.490	R.510		.500	.500	.500	.500		
AC	0.615	0.635		.625	.625	.625	.625		
AD	0.240	0.260	1.818	.254	.253	.253	.253		
AE	1.810	1.830		.819	1.819	1.819	1.819		
AF	0.240	0.260		.250	.250	.250	.248		
AG	0.140	0.160		.151	.149	.150	.148		
AH	0.140	0.160		.147	.149	.149	.150		
AI	0.140	0.160		.153	.153	.154	.154		
Accept/Reject									

Measured by:	FK
Date:	13/04/10

Audited by:	[Signature]
Date:	13/04/13

Rev	Date	Change	Revised by	Approved
A	06.09.26	New Issue	KJ/EC	
B	08.10.07	Dimension H removed	KJ/DD	
C	08.11.28	Dimension 'M' revised	KJ/EC	
D	11.01.17	Note added to Dim I	KJ	[Signature]

DART AEROSPACE LTD		Work Order:	98966
Description: Saddle		Part Number:	D3500-1
Inspection Dwg: D3500	Rev: C	Page 1 of 1	

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	5	6	7	8	By	Date
A	0.483	0.490		.484	.484	.484	.484		
B	1.175	1.185		1.180	1.180	1.180	1.180		
C	3.145	3.155		3.150	3.150	3.150	3.150		
D	1.175	1.185		1.180	1.180	1.180	1.180		
E	0.365	0.385		.380	.380	.380	.380		
F	0.490	0.510		.499	.499	.499	.501		
H									
(Note: Dimension I is 0.015" over flange)									
I	R1.575	R1.595		1.588	1.586	1.586	1.590		
J	0.240	0.260		.242	.243	.243	.245		
K	0.490	0.510		.500	.500	.500	.500		
L	3.590	3.650		3.620	3.620	3.620	3.620		
M	0.315	0.322		.316	.316	.316	.316		
N	0.256	0.262		.257	.257	.257	.257		
O	6.500	6.520		6.513	6.513	6.512	6.512		
P	5.990	6.010		5.997	5.997	5.997	5.997		
Q	2.820	2.830		2.825	2.825	2.825	2.825		
R	2.495	2.505		2.500	2.500	2.500	2.500		
S	2.245	2.255		2.250	2.250	2.250	2.250		
T	1.120	1.130		1.125	1.125	1.125	1.125		
U	0.540	0.560		.544	.546	.551	.551		
V	0.793	0.803		.798	.798	.798	.798		
W	R.240	R.260		.250	.250	.250	.250		
X	0.040	0.060		.050	.050	.050	.050		
Y	0.100	0.120		.100	.100	.100	.100		
AA	R1.125	R1.145		1.1335	1.128	1.130	1.132		
AB	R.490	R.510		.500	.500	.500	.500		
AC	0.615	0.635		.635	.635	.635	.635		
AD	0.240	0.260		.252	.252	.252	.254		
AE	1.810	1.830		1.816	1.817	1.817	1.118		
AF	0.240	0.260		.250	.250	.250	.250		
AG	0.140	0.160		.152	.152	.152	.155		
AH	0.140	0.160		.152	.152	.152	.153		
AI	0.140	0.160		.152	.152	.152	.155		
Accept/Reject									

Measured by:	BC
Date:	13.04.13

Audited by:	CM
Date:	13/04/13

Rev	Date	Change	Revised by	Approved
A	06.09.26	New Issue	KJ/EC	
B	08.10.07	Dimension H removed	KJ/DD	
C	08.11.28	Dimension 'M' revised	KJ/EC	
D	11.01.17	Note added to Dim I	KJ	AA

DART AEROSPACE LTD		Work Order:	98966
Description: Saddle		Part Number:	D3500-1
Inspection Dwg: D3500	Rev: C	Page 1 of 1	

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	By	Date
				9	10	11	12		
A	0.483	0.490		.484	.484	.484	.484		
B	1.175	1.185		1.180	1.180	1.180	1.180		
C	3.145	3.155		3.150	3.150	3.150	3.150		
D	1.175	1.185		1.180	1.180	1.180	1.180		
E	0.365	0.385		.380	.380	.380	.380		
F	0.490	0.510		.500	.500	.500	.500		
H									
(Note: Dimension I is 0.015" over flange)									
I	R1.575	R1.595		1.590	1.590	1.590	1.590		
J	0.240	0.260		.245	.245	.245	.245		
K	0.490	0.510		.500	.500	.500	.500		
L	3.590	3.650		3.620	3.620	3.620	3.620		
M	0.315	0.322		.316	.316	.316	.316		
N	0.256	0.262		.257	.257	.257	.257		
O	6.500	6.520		6.512	6.512	6.512	6.512		
P	5.990	6.010		5.998	5.998	5.998	5.998		
Q	2.820	2.830		2.825	2.825	2.825	2.825		
R	2.495	2.505		2.500	2.500	2.500	2.500		
S	2.245	2.255		2.250	2.250	2.250	2.250		
T	1.120	1.130		1.125	1.125	1.125	1.125		
U	0.540	0.560		.552	.552	.551	.551		
V	0.793	0.803		.798	.798	.798	.798		
W	R.240	R.260		.250	.250	.250	.250		
X	0.040	0.060		.050	.050	.050	.050		
Y	0.100	0.120		.110	.110	.110	.110		
AA	R1.125	R1.145		1.133	1.133	1.133	1.133		
AB	R.490	R.510		.500	.500	.500	.500		
AC	0.615	0.635		.635	.635	.635	.635		
AD	0.240	0.260		.253	.253	.253	.253		
AE	1.810	1.830		1.818	1.818	1.818	1.818		
AF	0.240	0.260		.250	.250	.250	.250		
AG	0.140	0.160		.153	.151	.150	.150		
AH	0.140	0.160		.153	.153	.153	.153		
AI	0.140	0.160		.153	.153	.153	.153		
Accept/Reject									

Measured by:	BC
Date:	13.04.13

Audited by:	CM
Date:	13/04/13

Rev	Date	Change	Revised by	Approved
A	06.09.26	New Issue	KJ/EC	
B	08.10.07	Dimension H removed	KJ/DD	
C	08.11.28	Dimension 'M' revised	KJ/EC	
D	11.01.17	Note added to Dim I	KJ	AA

DART AEROSPACE LTD				Work Order: 98966	
Description: Saddle				Part Number: D3500-1	
Inspection Dwg: D3500 Rev: C				Page 1 of 1	

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	By	Date
				13	14	15	16		
A	0.483	0.490		.484	.484	.484	.484		
B	1.175	1.185		1.180	1.180	1.180	1.180		
C	3.145	3.155		3.150	3.150	3.150	3.150		
D	1.175	1.185		1.180	1.180	1.180	1.180		
E	0.365	0.385		.380	.380	.380	.380		
F	0.490	0.510		.498	.499	.498	.500		
H									
(Note: Dimension I is 0.015" over flange)									
I	R1.575	R1.595		1.584	1.590	1.588	1.588		
J	0.240	0.260		.24500	.24500	.24500	.24500		
K	0.490	0.510		.500	.500	.500	.500		
L	3.590	3.650		3.620	3.620	3.620	3.620		
M	0.315	0.322		.316	.316	.316	.316		
N	0.256	0.262		.257	.257	.257	.257		
O	6.500	6.520		6.512	6.512	6.512	6.512		
P	5.990	6.010		5.999	6.000	6.000	5.999		
Q	2.820	2.830		2.825	2.825	2.825	2.825		
R	2.495	2.505		2.500	2.500	2.500	2.500		
S	2.245	2.255		2.250	2.250	2.250	2.250		
T	1.120	1.130		1.125	1.125	1.125	1.125		
U	0.540	0.560		.551	.551	.551	.551		
V	0.793	0.803		.798	.798	.798	.798		
W	R.240	R.260		.250	.250	.250	.250		
X	0.040	0.060		.050	.050	.050	.050		
Y	0.100	0.120		.110	.110	.110	.110		
AA	R1.125	R1.145		1.133	1.134	1.134	1.132		
AB	R.490	R.510		.500	.500	.500	.500		
AC	0.615	0.635		.635	.635	.635	.635		
AD	0.240	0.260		.253	.253	.253	.253		
AE	1.810	1.830		1.817	1.815	1.818	1.818		
AF	0.240	0.260		.250	.250	.250	.250		
AG	0.140	0.160		.148	.148	.148	.148		
AH	0.140	0.160		.155	.155	.155	.155		
AI	0.140	0.160		.152	.152	.152	.152		
Accept/Reject									

Measured by:	TC
Date:	13.04.13

Audited by:	CMR
Date:	13/04/13

Rev	Date	Change	Revised by	Approved
A	06.09.26	New Issue	KJ/EC	
B	08.10.07	Dimension H removed	KJ/DD	
C	08.11.28	Dimension 'M' revised	KJ/EC	
D	11.01.17	Note added to Dim I	KJ	AA

DART AEROSPACE LTD		Work Order: 98966
Description: Saddle		Part Number: D3500-1
Inspection Dwg: D3500	Rev: C	Page 1 of 1





				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	By	Date
				17	18	19	20		
A	0.483	0.490		.485	.485	.485	.485		
B	1.175	1.185		1.180	1.180	1.180	1.180		
C	3.145	3.155		3.150	3.150	3.150	3.150		
D	1.175	1.185		1.180	1.180	1.180	1.180		
E	0.365	0.385		.380	.380	.380	.380		
F	0.490	0.510		.500	.498	.500	.499		
H									
(Note: Dimension I is 0.015" over flange)									
I	R1.575	R1.595		1.590	1.588	1.589	1.590		
J	0.240	0.260		.245	.245	.245	.245		
K	0.490	0.510		.500	.500	.500	.500		
L	3.590	3.650		3.620	3.620	3.620	3.620		
M	0.315	0.322		.316	.316	.316	.316		
N	0.256	0.262		.257	.257	.257	.257		
O	6.500	6.520		6.512	6.512	6.512	6.512		
P	5.990	6.010		6.000	5.999	6.000	6.000		
Q	2.820	2.830		2.815	2.815	2.815	2.815		
R	2.495	2.505		2.500	2.500	2.500	2.500		
S	2.245	2.255		2.250	2.250	2.250	2.250		
T	1.120	1.130		1.125	1.125	1.125	1.125		
U	0.540	0.560		.551	.550	.551	.551		
V	0.793	0.803		.798	.798	.798	.798		
W	R.240	R.260		.250	.250	.250	.250		
X	0.040	0.060		.050	.050	.050	.050		
Y	0.100	0.120		.110	.110	.110	.110		
AA	R1.125	R1.145		1.136	1.133	1.132	1.133		
AB	R.490	R.510		.500	.500	.500	.500		
AC	0.615	0.635		.635	.635	.635	.635		
AD	0.240	0.260		.253	.253	.253	.253		
AE	1.810	1.830		1.816	1.817	1.817	1.817		
AF	0.240	0.260		.250	.250	.250	.250		
AG	0.140	0.160		.150	.150	.150	.150		
AH	0.140	0.160		.154	.154	.154	.154		
AI	0.140	0.160		.152	.152	.152	.152		
Accept/Reject									

Measured by:	BC
Date:	13.04.11

Audited by:	SM
Date:	13/04/13

Rev	Date	Change	Revised by	Approved
A	06.09.26	New Issue	KJ/EC	
B	08.10.07	Dimension H removed	KJ/DD	
C	08.11.28	Dimension 'M' revised	KJ/EC	
D	11.01.17	Note added to Dim I	KJ	AA

UNCONTROLLED COPY



D3500-1 SADDLE

- 1) MATERIAL: 6061-T6/T651 (QQ-A-200/B OR QQ-A-250/11)
(MAKE FROM D6102-013 SADDLE BILLET, 6061)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1.
POWDER COAT GLOSS WHITE (REF 4.3.5.1) PER DART QSI 005 4.3
- 3) BREAK ALL SHARP EDGES 0.010 TO 0.020
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES

RELEASED

06-08-15

COPYRIGHT © 2006 BY DART AEROSPACE LTD.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

C	06.06.30	MAT'L NOW 6061-T6/T651
B	06.05.29	CHANGE DIMS; MAT'L NOW 7075-T7351
A	06.04.18	NEW ISSUE
DESIGN	GP	DRAWN BY PH
CHECKED	#	APPROVED #
DATE	06.06.30	TITLE SADDLE
		DART AEROSPACE LTD. IMMERDUR, ONTARIO, CANADA
		DRAWING NO. D3500
		REV. C SHEET 1 OF 1 SCALE 2:3